

Supplementary Table 5. The AAPC of common PGD

Cohort	Range	Lower endpoint	Upper endpoint	AAPC	Lower CI	Upper CI	Test statistic~	p-value~
MN - 1 joinpoint	Full range	2005	2020	12.0 ^a	3.7	21	2.9	<0.1
IgAN - 0 joinpoints	Full range	2005	2020	-0.9	-2.9	1.1	-1	<0.1
MsPGN - 0 joinpoints	Full range	2005	2020	-14.2 ^a	-17.8	-10.4	-7.7	<0.1
FSGS - 0 joinpoints	Full range	2005	2020	-1.7	-6.2	2.9	-0.8	<0.1
MCD - 0 joinpoints	Full range	2005	2020	20.0 ^a	15.3	25	9.7	<0.1

AAPC, average annual percent change; CI, confidence interval; FSGS, focal segmental glomerulosclerosis; IgAN, immunoglobulin A nephropathy; MCD, minimal change disease; MsPGN, mesangial proliferative glomerulonephritis; MN, membranous nephropathy; PGD, primary glomerular disease.

^aAAPC is significantly different from zero at the alpha = 0.05 level.

~If AAPC is within one segment, the t-distribution is used. Otherwise, the normal (z) distribution is used.